

GL7201 36W VERDANT IP65 LED GROW LIGHT BAR



TECHNICAL DATA

Product name	36W Verdant IP65 LED Grow Light Bar
Product Model No.	GL7201
Input Voltage	DC132V
Frequency	50/60Hz
LED Type	San An
LED Quantity	96pcs
Beam Spread (Degree Beam Angle)	120°
Colour Ratio	Full Spectrum
Product Dimension	1200*25*15mm
Chip Size	14mil
Driver Brand	Inventronics
IP Rating	IP65
PPF	54 µmol/s
Lighting Area	1200*300mm (5ft*1ft)
Working Temp (°C)	-20°~50°, 45%~95%RH
Rated for Certification	CE, RoHs
LEDs Life Span	≥50000Hours
Net Weight	0.32kg (0.74lbs)
Carton Size	1390*280*3270mm
Warranty time	5 Years

APPLICATIONS

For clones, micro-greens, leafy growing plants and fruits.



FEATURES AND BENEFITS

- Small in size, easy to carry, easy to install
- IP65 water ingress protection
- Dimmable via 0-10V input
- Daisy chain design. Suitable for Vertical Farm Grow by racks
- Custom Spectrum: All red/all blue/red+blue+white available, depending on plant to be grown
- Can be used individually or in multiples using frame
- Long LED and full product life guaranteed 5 years
- High energy efficiency and savings

GL7201 36W VERDANT IP65 LED GROW LIGHT BAR

INSTALLATION

- Multiple Connections via Daisy Chain Easy Connect System
- One driver powers 4 or 8 branches of cable and lights; amount of lights limited by the size of the dimmer
- Suitable for racks and vertical farms.




CHARACTERISTICS

- Waterproof IP65 driver
- 0-10V Dimmable
- Easy installation, connection and maintenance
- No voltage drop – all light bars receive the same voltage along the length of the chain
- High energy efficiency compared to HiD

GL7201 36W VERDANT IP65 LED GROW LIGHT BAR

PRODUCT SPECTRUM



APPLICATIONS



Herbs



Vegetables/ Salad



Flowers



Fruits



Seedlings



Succulents